



Unicorn Drill is a world leading foudation drilling tools manufacturer.

Our vision is to be the China's leader as a piling solution provider. When Unicorn Drill decide to create the world class drilling tools, we have already clearly in mind the outline of business plan: to become the benchmark in the production of tools and to let the whole industry been impressed by Chinese manufacturing.

Our mission is to provide quality professional tools, exceeding customer expectations, by the effective utilization of for any type of construction resources, with best practices of the industry to construct a stronger foundation.

We sincerely to coperate with you for bright future!



SWIVEL

Features:

- 1. The lifter are all made of high-quality alloy steel, which are finely processed and strictly heat-treated to make them have excellent comprehensive mechanical properties, strong wear resistance and long service life.
- 2.All internal bearings are SKF bearings, which have excellent performance and long service life.
- 3.All sealing components are imported parts, which are resistant to corrosion and not easy to age

Regular Swivel size



Mod I	e /	A 1	A2	B1	B2	D1	D2	D3	ш	12	L3	L4	Brean ing	Pulling force	Rotary Max Torque
UJO:	1 5	55	120	50	120	ф55	ф55	ф170	500	620	80	80	4	260KN	180-230KN*M
UJ0	2 5	55	120	50	120	ф55	ф55	ф170	530	650	80	80	5	320KN	180-260KN*M
UJ0	3 5	50	110	50	110	ф50	ф50	ф150	480	600	80	80	4	190KN	120-160KN*M
UJ04	4 6	60	140	65	140	ф60	ф60	ф200	590	720	90	90	5	460KN	280-360KN*M
UJO:	5 4	40	90	40	90	ф40	ф40	ф120	440	540	60	60	4	125KN	60-120KM*M
UJ0	6 8	30	456	70	156	ф80	ф70	ф210	685	85	110	90	6	610KN	300-420KN*M
UJO.	7 8	30	160	80	160	ф80	ф70	ф210	685	845	110	90	6	610KN	300-460KN*M
UJ0	8 8	30	180	80	180	ф80	ф80	ф244	750	930	120	12 0	5	690KN	360-550KN*M

Remaek:

The products listed in this table are all models for conventional host machines and can be specially customized according to user requirements and host matching requirements.

Others

Features:


- 1.Support the customized
- 2.Original manufacturing process







Spring



Ribs

Remaek:

The products listed in this table are all models for conventional host machines and can be specially customized according to user requirements and host matching requirements.

Others

Features:

- 1.Support the customized
- 2.Original manufacturing process



Kelly Guide Frame Bearing



Slewing bearing



Kelly box Converter

Remaek:

The products listed in this table are all models for conventional host machines and can be specially customized according to user requirements and host matching requirements.

Teeth and Holder

Soil Teeth & Holder





25TL







BFZ80

Rock Bits











Unicorn-TB(70Mpa)



Unicorn-DB(70Mpa)











C31 & C30

Holder



B43H



B85



B85/2

Roller Bits















Wire Rope











Wire Rope for Rotary Drilling Rig

NI i I	Mass	Tensile strength grade				
Nominal diameter	(Approx.length mass)	1770 Mpa	1960 Mpa			
mm	kg/100m	Minimum breaking force kN				
14	100	142	158			
16	131	186	206			
18	165	235	260			
20	204	290	321			
22	247	351	389			
24	294	418	463			
26	345	491	543			
28	400	569	630			
30	459	653	723			
32	522	743	823			
34	590	839	929			
36	661	941	1040			
38	736	1050	1160			
40	816	1160	1290			
42	900	1280	1420			

Unicorn Dri

Your Foundation Optimizer

HUNAN UNICORN MACHINERY CO.,LTD

ADD: No. 2 Road, Xingsha Developing Zone, Changsha City, Hunan Province, China

TEL: +86 15273167776 15387567072 +86 86843417

E-mail: sales@unicorndrill.com



